


**ROOF CLADDING PROFILES  
13.5/3 Sinusoidal · Steel**



**Dimension details**

Cover width	990mm
Profile pitch	76mm
Profile depth	19mm
Overlap (left as shown above)	20mm from top dead centre
Underlap (right as shown above right)	57.5mm from bottom dead centre

**Weight per linear metre**

0.5mm	4.823 kgs
0.7mm	6.753 kgs
0.9mm	8.682 kgs

Tolerance on all dimensions as per BS EN 508 – 2.

**Sinusoidal (13.5/3) Steel · Load/Span tables – working load UDL (kN/m<sup>2</sup>)**

**Load factor (working load to ultimate) = 1.5**

		SPAN (m)																		
		L/200	Thickness	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90	2.00	2.10	2.20	2.30	2.40	2.50	2.60
GRAVITY	Single Span	0.5mm	1.68	1.26	0.97	0.76	0.61	0.50	0.41	0.34	0.29	0.24	0.21	0.18	0.16	0.14	0.12	0.11	0.10	0.10
	Double Span	0.5mm	2.68	2.10	1.62	1.27	1.02	0.83	0.68	0.57	0.48	0.41	0.35	0.30	0.26	0.23	0.20	0.18	0.16	0.16
	Multi Span	0.5mm	2.79	2.10	1.62	1.27	1.02	0.83	0.68	0.57	0.48	0.41	0.35	0.30	0.26	0.23	0.20	0.18	0.16	0.16
	Single Span	0.7mm	2.33	1.75	1.35	1.06	0.85	0.69	0.57	0.48	0.40	0.34	0.29	0.25	0.22	0.19	0.17	0.15	0.13	0.13
	Double Span	0.7mm	3.73	2.92	2.25	1.77	1.42	1.15	0.95	0.79	0.67	0.57	0.49	0.42	0.37	0.32	0.28	0.25	0.22	0.22
	Multi Span	0.7mm	3.89	2.92	2.25	1.77	1.42	1.15	0.95	0.79	0.67	0.57	0.49	0.42	0.37	0.32	0.28	0.25	0.22	0.22
	Single Span	0.9mm	2.96	2.22	1.71	1.35	1.08	0.88	0.72	0.60	0.51	0.43	0.37	0.32	0.28	0.24	0.21	0.19	0.17	0.17
	Double Span	0.9mm	4.73	3.70	2.85	2.24	1.80	1.46	1.20	1.00	0.84	0.72	0.62	0.53	0.46	0.40	0.36	0.32	0.28	0.28
	Multi Span	0.9mm	4.93	3.70	2.85	2.24	1.80	1.46	1.20	1.00	0.84	0.72	0.62	0.53	0.46	0.40	0.36	0.32	0.28	0.28

**Load factor (working load to ultimate) = 1.5**

		SPAN (m)																		
		L/200	Thickness	1.00	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90	2.00	2.10	2.20	2.30	2.40	2.50	2.60
UPLIFT	Single Span	0.5mm	1.68	1.26	0.97	0.76	0.61	0.50	0.41	0.34	0.29	0.24	0.21	0.18	0.16	0.14	0.12	0.11	0.10	0.10
	Double Span	0.5mm	2.68	2.10	1.62	1.27	1.02	0.83	0.68	0.57	0.48	0.41	0.35	0.30	0.26	0.23	0.20	0.18	0.16	0.16
	Multi Span	0.5mm	2.79	2.10	1.62	1.27	1.02	0.83	0.68	0.57	0.48	0.41	0.35	0.30	0.26	0.23	0.20	0.18	0.16	0.16
	Single Span	0.7mm	2.33	1.75	1.35	1.06	0.85	0.69	0.57	0.48	0.40	0.34	0.29	0.25	0.22	0.19	0.17	0.15	0.13	0.13
	Double Span	0.7mm	3.73	2.92	2.25	1.77	1.42	1.15	0.95	0.79	0.67	0.57	0.49	0.42	0.37	0.32	0.28	0.25	0.22	0.22
	Multi Span	0.7mm	3.89	2.92	2.25	1.77	1.42	1.15	0.95	0.79	0.67	0.57	0.49	0.42	0.37	0.32	0.28	0.25	0.22	0.22
	Single Span	0.9mm	2.96	2.22	1.71	1.35	1.08	0.88	0.72	0.60	0.51	0.43	0.37	0.32	0.28	0.24	0.21	0.19	0.17	0.17
	Double Span	0.9mm	4.73	3.70	2.85	2.24	1.80	1.46	1.20	1.00	0.84	0.72	0.62	0.53	0.46	0.40	0.36	0.32	0.28	0.28
	Multi Span	0.9mm	4.93	3.70	2.85	2.24	1.80	1.46	1.20	1.00	0.84	0.72	0.62	0.53	0.46	0.40	0.36	0.32	0.28	0.28

Tables calculated by the SCI to EN 1993-1-3 (Eurocode EC3).